वैज्ञानिक तथा औद्योगिक अनुसंधान परिषद् Council of Scientific & Industrial Research

राष्ट्रीय वांतरिक्ष प्रयोगशालाएं National Aerospace Laboratories



Dated: 09-Dec-19

INVITATION FOR BIDS/NIT

Tender No. NAL/PUR/ASD/381/19-Y

CSIR- National Aerospace Laboratories (NAL), Bengaluru, India is one of the premier laboratories under Council of Scientific and Industrial Research (CSIR), an autonomous body under Department of Scientific and Industrial Research, Government of India, New Delhi. CSIR-NAL is a Science and Knowledge based Research, Development and Consulting Organization. It is internationally known for its excellence in Scientific Research in Aerospace Engineering.

The Director, CSIR-NAL invites online quotation for procurement of the following item(s) for day to day research work.

SI.No.	Description of Items	Unit	Quantity
01	Supply and Installation of SIP based IP phones with connecting PoE switches.	Set	01
	Please refer Annexure - I & Annexure - II for detailed specification		

Single / Double Bid	Single
Bid Security (EMD) (in INR)	Bid Security Declaration should be enclosed with quotation.
Performance Security	Nil

- O1. Tender Documents may be downloaded from Central Public Procurement Portal https://www.etenders.gov.in. Aspiring Bidders who have not enrolled/ registered in e- procurement should enroll/ register before participating through the website https://www.etenders.gov.in. The portal enrolment is free of cost. Bidders are advised to go through instructions provided at 'Instructions for online Bid Submission'.
- 02. Tenderers can access tender documents on the website (For searching in the NIC site https://www.etenders.gov.in, kindly go to Tender Search option, select tender type and select 'Council of Scientific and Industrial Research' in organization tab and select NAL-Bengaluru-CSIR in department type Thereafter, Click on "Search" button to view all CSIR-NAL, Bengaluru tenders). Select the appropriate tender and fill them with all relevant information and submit the completed tender document online on the website https://www/etenders.gov.in as per the schedule given in the next page.
- O3. Either the Indian Agent on behalf of the Foreign principal or the Foreign principal can bid directly in a tender but not both. However, the offer of the Indian Agent should also accompany the authorization letter from their principal. To maintain sanctity of tendering system, one Indian Agent cannot represent two different Foreign principals in one tender.
- 04. Unsolicited / conditional / unsigned tenders (Quotations) **shall not** be considered. Quotations received after the due date and time **shall be summarily rejected**.
- 05. The Bidder shall comply the terms and conditions of the tender, failing which, the offer shall be liable for rejection.
- 06. The Director, CSIR- National Aerospace Laboratories., Bengaluru reserves the right to accept any or all the tenders either in part or in full or to split the order without assigning any reasons there for.

Raman Kumar (Section Officer S&P)

पी बी सं. 1779, एचएएल एयरपोर्ट रोड, कोडिहल्ली, बेंगलुरु - 560 017, भारत, P B No 1779, HAL Airport Road, Kodihalli, Bengaluru - 560 017, INDIA फोन / Phone: (का./ Off): +91 - 80 - 2508 6040 - 45, फैक्स / FAX: +91-80-2526 9611







CSIR-National Aerospace Laboratories, Bengaluru-560 017, INDIA

SCHEDULE CUM CRITICIAL DATE SHEET

	SOUTH STATE OF THE		
1	Name of Organization	CSIR-National Aerospace Laboratories, Bengaluru	
2	Tender Reference No	NAL/PUR/ASD/381/19-Y dated: 09-Dec-19	
3	Tender Type (Open/Limited/EOI/Auction/Single)	Open Tender	
4	Type/Form of Contract (Work / Supply / Auction / Service / Buy / Empanelment / Sell)	Supply	
5	No of Covers (One/Two/Three/Four)	One	
6	Tender Category (Services/Good/Works)	Goods	
7	Allow Resubmission (Only in online mode within scheduled period)	Yes	
8	Allow Withdrawal (Only in online mode within scheduled period)	Yes	
9	Allow Offline Submission	No	
10	Work Item Title	Supply and Installation of SIP based IP phones with connecting PoE switches	
11	Work Description	Supply and Installation of SIP based IP phones with connecting PoE switches	
12	Delivery Schedule	30 days from the date of purchase order	
13	Product Category (Civil Works / Electrical Works / Fleet Management / Computer Systems)	R & D Equipment	
14	Is Multi Currency Allowed	Yes	
	a) Tender Publishing Date -	11-Dec-19 1800 Hrs	
	b) Document Download Start Date-	11-Dec-19 1800 Hrs .	
15	c) Bid Submission Start Date-	11-Dec19 1800Hrs	
	d) Bid Submission End Date-	02-Jan-20 1000 Hrs	
	e) Bid Opening Date-	03-Jan-20 1100 Hrs	
16	Bid Validity Days	90 days	
17	Address for communication	Stores and Purchase Officer CSIR-National Aerospace Laboratories, HAL Airport Road, Kodihalli, Bengaluru - 560017	
18	Inviting Officer	Director, CSIR-NAL	
19	Contact No	25086040, 25086041	
20	E-mail Address	purchasek@nal.res.in *	
21	Detailed specification of item	Refer Invitation for bids / NIT	
22	Tender Terms & Conditions & Instruction for online bid submission	The prospective bidders are requested to refer to the Standard Tender Document available on NAL Internet (www.nal.res.in) under the icon Tender-Purchase before formulating and submitting their bids	

SPECIFICATIONS AND ALLIED TECHNICAL DETAILS

Detailed Specification

Bill of Materials for SIP IP Phones and its accessories

SI No	Item Description	Qty
1	SIP based IP Phones as per specifications in	100 Nos
2	PoE switches to connect SIP Based IP phones as per specifications in Annexure-II	15 Nos

Annexure I

Specif	ications for SIP based IP P	nones	
SI.No	Specs	Description	Compliance
	Protocols/Standard	SIP RFC3261, TCP/IP/UDP, RTP/RTCP,	,
1		HTTP/HTTPS, ARP/RARP, ICMP, DNS (A re-	
		cord, SRV, NAPTR), DHCP, PPPoE, SSH, TFTP,	
		NTP, STUN, SIMPLE, LLDP-MED, LDAP, TR-069,	
		802.1x, TLS, SRTP, CDP/SNMP/RTCP-XR	
2	Network Interfaces	Dual switched auto-sensing 10/100 Mbps	
		Ethernet ports, integrated PoE (GXP1625 only)	
3	Graphic Display	132 x 48 (2.95") backlit graphical LCD display	
	Feature Keys	2 line keys with dual-color LED and 2 SIP	
4		accounts, 3 XML programmable context	
		sensitive soft keys, 5 (navigation, menu) keys.	
		13 dedicated function keys for MUTE,	
		HEADSET, TRANSFER, CONFERENCE, SEND and	
		REDIAL, SPEAKERPHONE, VOLUME,	
		PHONEBOOK, MESSAGE, HOLD,	
		PAGE/INTERCOM, RECORD, HOME	
	Voice Codecs	Support for G.711µ/a, G.722 (wide-band),	
5		G.723, G.726-32, G.729 A/B, iLBC, inband and	
		out-of-band DTMF (In audio, RFC2833, SIP	
		INFO), VAD, CNG, AEC, PLC, AJB, AGC	
	Telephony Features	Hold, transfer, forward (unconditional/no-	
6		answer/busy), 3-way conferencing, call	
		park/pickup, shared-call appearance (SCA) /	
		bridged-line-appearance (BLA), Down- loadable	
		phone book (XML, LDAP, up to 1000 items), call	
		waiting, call history (up to 200 records), off-	3
		hook auto dial, auto answer, click-to-dial,	
		flexible dial plan, hot desking, personalized	
		music ringtones, server redundancy & fail-over	
	HD Audio	Yes, HD handset and speakerphone with	
7		support for wideband audio	
8	Base Stand	Yes, 2 angled positions available, wall mountable	



Ref.No. NAL/PUR/ASD/381/19-Y

9	Wall Mountable	Yes	
10	QoS	Layer 2 QoS (802.1Q, 802.1P) and Layer 3 (ToS, DiffServ, MPLS) QoS	
11	Security	User and administrator level access control, MD5 and MD5-sess based authenti- cation, 256-bit AES encrypted configuration file, TLS, SRTP, HTTPS, 802.1x media access control	
12	Multi-language	English, German, Italian, French, Spanish, Portuguese, Russian, Croatian, simpli-fied and traditional Chinese, Korean, Japanese and more	
13	Upgrade/Provisioning	Firmware upgrade via TFTP / HTTP / HTTPS, mass provisioning using TR-069 or AES encrypted XML configuration file, FTP/FTPS	
14	Power & Green Energy Efficiency	Universal Power Supply Input 100-240VAC 50-60Hz; Output +5VDC, 600mA; PoE: IEEE802.3af Class 2, 3.84W-6.49W; IEEE802.3az (EEE) (GXP1625 only)	
15	replacement, on-going soft	sive Warranty including onsite hardware ware upgrades and next business day support for stallation and should not have End Of Life Declared installation	

Annexure II

Specifi	cations of PoE switches to connect SIP Based IP phones	
SI.No	Description	Compliance
1	Managed Layer 2 Fast Ethernet PoE Switch with at least 24 nos of 10/100 Mbps Base-T Ports and with atleast 2 nos Combo Gigabit SFP uplink ports	
2	Should be of 1U Height and 19" Rack mountable along with all mounting accessories and Indian Standard Type Power Chord and should work with AC Single Phase Supply of 230V 50Hz	
3	Should be Manageable through CLI, Web Interface, SSH/Telnet and should allow to take Configuration backup via FTP/secure copy	
4	Should include Comprehensive Warranty including onsite hardware replacement, on-going software upgrades and next business day support for 3 years from the date of Installation and should not have End Of Life Declared on the date of quotation/installation	
5	Should include Supply and installation including the configuration of the	



Ref.No. NAL/PUR/ASD/381/19-Y

	switches	
6	Should have atleast 24 PoE ports with 15.4W per port (802.3af) with a total	
	PoE budget of 192W	
7	SFP Uplink ports should work with Generic Standard 1000 Mbps SFP Fibre	
′	Modules	
8	Should support Switching bandwidth of at least 8.8 Gbps	
9	Should have Throughput of at least 6 Mpps	
10	Should Support minimum 8000 Mac Addresses	
11	Should Support minimum 64 Active Vlans	
12	Should support Jumbo frames – 9,000 bytes	
13	Should support the standards: IEEE 802.3af, IEEE 802.1D, IEEE 802.1p, IEEE	
	802.1Q , IEEE 802.1s, IEEE 802.1w, IEEE 802.1X, IEEE 802.1ab , IEEE 802.3ad,	
	IEEE 802.3x full duplex, IEEE 802.3 10BASE-T, IEEE 802.3u 100BASE-TX, IEEE	
	802.3ab 1000BASE-T, IEEE 802.3z 1000BASE-X	
14	Should Support SNMP v1, v2c, and v3	



Tender No.: NAL/PUR/ASD/381/19-Y

BID-SECURING DECLARATION FORM

	Date:
	Bid No
To (inse	ert complete name and address of the purchaser)
I/We. T	he undersigned, declare that:
I/We ur	nderstand that, according to your conditions, bids must be supported by a Bid Securing Declaration.
	eccept that I/We may be disqualified from bidding for any contract with you for a period of one year e date of notification if I am /We are in a breach of any obligation under the bid conditions, because
(a)	have withdrawn/modified/amended, impairs or derogates from the tender, my/our Bid during the period of bid validity specified in the form of Bid; or
(b)	having been notified of the acceptance of our Bid by the purchaser during the period of bid validity
	(i) fail or reuse to execute the contract, if required, or
	(ii) fail or refuse to furnish the Performance Security, in accordance with the Instructions to Bidders.
Bidder,	nderstand this Bid Securing Declaration shall cease to be valid if I am/we are not the successful upon the earlier of (i) the receipt of your notification of the name of the successful Bidder; or (ii) thirty ter the expiration of the validity of my/our Bid.
	(insert signature of person whose name and capacity are shown) apacity of (insert legal capacity of person signing the Bid Securing Declaration).
Name:	(insert complete name of person signing he Bid Securing Declaration)
Duly au	thorized to sign the bid for an on behalf of: (insert complete name of Bidder)
Dated o	on day of(insert date of signing)
Corpora	ate Seal (where appropriate)
	The state of the s
Note:	

- 1. In case of a Joint Venture, the Bid Securing Declaration must be in the name of all partners to the Joint Venture that submits the bid.

 2. Bid Security declaration must be signed in by the Proprietor/CEO/MD or equivalent level of Officer
- of the company.